

Section 1: IDENTIFICATION

Product Name: Simple Green® Foaming Coil Cleaner (aerosol)

Additional Names:

Manufacturer's Part Number: *Please refer to Section 16

Recommended Use: Cleaner/Degreaser for use on air conditioner coils, refrigerator coils, grills, vents, electronic filters, and other similar delicate metal surfaces.

Restrictions on Use: Do not use on non-rinseable surfaces or over asphalt surfaces.

Company: Sunshine Makers, Inc.
15922 Pacific Coast Highway
Huntington Beach, CA 92649 USA

Telephone: 800-228-0709 • 562-795-6000 *Mon – Fri, 8am – 5pm PST*

Fax: 562-592-3830

Email: info@simplegreen.com

Emergency Phone: Chem-Tel 24-Hour Emergency Service: 800-255-3924

Section 2: HAZARDS IDENTIFICATION

This product is considered hazardous under 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

OSHA HCS 2012 Classification: Compressed Gas

OSHA HCS 2012 Classification: Eye Corrosive / Irritant 2B

OSHA HCS 2012
Label Elements

Signal Word: Warning

Hazard Symbol(s)/Pictogram(s):



Hazard Statements: Contains gas under pressure; may explode if heated. Causes eye irritation.

Precautionary Statements: Protect from sunlight. Store in a well-ventilated place. Wash hands thoroughly after handling. IF IN EYS: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention

Hazards Not Otherwise Classified (HNOC): Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal.

Other Information: Keep away from heat/sparks/open flames/hot surfaces. No smoking. Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

<u>Ingredient</u>	<u>CAS Number</u>	<u>Percent Range</u>
Water	7732-18-5	> 77.8%*
Butane	106-97-8	< 5.0%*
Triethanolamine	102-71-6	< 5.0%*
Propane	74-98-6	< 5.0%*
Surfactant	Proprietary Mixture	< 5.0%*
Propylene Glycol Butyl Ether	5131-66-8	< 1.0%*
Tetrapotassium Pyrophosphate	7320-34-5	< 1.0%*
Potassium Silicate	1312-76-1	< 0.1%*
Diethanolamine	111-42-2	< 0.1%*

*specific percentages of composition are being withheld as a trade secret

Section 4: FIRST-AID MEASURES

- Inhalation:** Not expected to cause respiratory irritation. If adverse effect occurs, move to fresh air. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal.
- Skin Contact:** Not expected to cause skin irritation. If adverse effect occurs, rinse skin with water.
- Eye Contact:** Causes eye irritation. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- Ingestion:** May cause upset stomach. Drink plenty of water to dilute. See section 11.

Most Important Symptoms/Effects, Acute and Delayed: None known.

Indication of Immediate Medical Attention and Special Treatment Needed, if necessary: Treat symptomatically

Section 5: FIRE-FIGHTING MEASURES

- Suitable & Unsuitable Extinguishing Media:** Use Dry chemical, CO₂, water spray or “alcohol” foam. Avoid high volume jet water.
- Specific Hazards Arising from Chemical:** In event of fire, fire created carbon oxides may be formed.
- Special Protective Actions for Fire-Fighters:** Wear positive pressure self-contained breathing apparatus; Wear full protective clothing.

This product is non-flammable. See Section 9 for Physical Properties.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures: *For non-emergency and emergency personnel:* See section 8 – personal protection. Avoid eye contact. Wear safety goggles.

Environmental Precautions: Do not allow into open waterways and ground water systems.

Methods and Materials for Containment and Clean Up: Dike or soak up with inert absorbent material. See section 13 for disposal considerations.

Section 7: HANDLING AND STORAGE

Precautions for Safe Handling: Ensure adequate ventilation. Keep out of reach of children. Keep away from heat/sparks/open flames/hot surfaces. No smoking. Do not pierce or burn, even after use. Do not mix or contaminate with any other chemical. Do not eat, drink or smoke while using this product.

Conditions for Safe Storage including Incompatibilities: Keep container tightly closed. Keep in cool dry area. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limit Values:	Triethanolamine (102-71-6)	5 mg/m ³ PEL	California	
	Diethanolamine (111-42-2)	3 ppm TWA; 15 mg/m ³ TWA		Connecticut, Michigan, Minnesota, OSHA, Tennessee, Vermont, Washington
		0.46 ppm PEL; 2 mg/m ³ PEL	California	
		6 ppm STEL	Washington	
	Butane (106-97-8)	800 ppm; 1900 mg/m ³ TWA		1000 ppm STEL
	Propane (74-98-6)	1000 ppm; 1800 mg/m ³ TWA		1250 ppm STEL

Appropriate Engineering Controls: Showers, eyewash stations, ventilation systems

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION – continued

Individual Protection Measures / Personal Protective Equipment (PPE)

Eye Contact: Use protective glasses or safety goggles if splashing or spray-back is likely.
 Respiratory: Use in well ventilated areas or local exhaust ventilations when cleaning small spaces.
 Skin Contact: Use protective gloves (any material) when used for prolonged periods or dermally sensitive.
 General Hygiene Considerations: Wash thoroughly after handling and before eating or drinking.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	White Foam	Partition Coefficient: n-octanol/water:	Not determined		
Odor:	No added odor	Autoignition Temperature:	Non-flammable		
Odor Threshold:	Not determined	Decomposition Temperature:	109°F		
pH:	9.71 – 10.71	Viscosity:	Not determined		
Freezing Point:	0°C (32°F)	Specific Gravity:	0.97 – 1.02		
Boiling Point & Range:	98°C (210°F)	VOCs:	<i>**Water & fragrance exemption in calculation</i>		
Flash Point:	> 212°F	SCAQMD 304-91 / EPA 24:	Not tested		
Evaporation Rate:	Not determined	CARB Method 310**:	<55 g/L	<0.459 lb/gal	<5.5%
Flammability (solid, gas):	Not applicable	SCAQMD Method 313:	Not tested		
Upper/Lower Flammability or Explosive Limits:	Not applicable	VOC Composite Partial Pressure:	Not determined		
Vapor Pressure:	Not determined	Relative Density:	8.14 – 8.49 lb/gal		
Vapor Density:	Not determined	Solubility:	100% in water		

Section 10: STABILITY AND REACTIVITY

Reactivity: Non-reactive.
Chemical Stability: Stable under normal conditions 70°F (21°C) and 14.7 psig (760 mmHg).
Possibility of Hazardous Reactions: None known.
Conditions to Avoid: Excessive heat or cold.
Incompatible Materials: Do not mix with oxidizers, acids, bathroom cleaners, or disinfecting agents.
Hazardous Decomposition Products: Normal products of combustion - CO, CO2.

Section 11: TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Inhalation - Overexposure may cause headache.
 Skin Contact - Not expected to cause irritation, repeated contact may cause dry skin.
 Eye Contact - Causes eye irritation.
 Ingestion - May cause upset stomach.

Symptoms related to the physical, chemical and toxicological characteristics: no symptoms expected under typical use conditions.
Delayed and immediate effects and or chronic effects from short term exposure: no symptoms expected under typical use conditions.
Delayed and immediate effects and or chronic effects from long term exposure: headache, dry skin, or skin irritation may occur.
Interactive effects: Not known.

Numerical Measures of Toxicity

Acute Toxicity: Oral LD₅₀ (rat) > 5 g/kg body weight
 Dermal LD₅₀ (rabbit) > 5 g/kg body weight

Calculated via OSHA HCS 2012 / Globally Harmonized System of Classification and Labelling of Chemicals

Skin Corrosion/Irritation: No ingredients trigger or classify under this category.
Eye Damage/Irritation: Causes eye irritation (GHS hazard category 2B)
Germ Cell Mutagenicity: Mixture does not classify under this category.

Section 11: TOXICOLOGICAL INFORMATION – continued

Carcinogenicity:	Volume of ingredients does not trigger or classify under this category. This product contains trace amounts of Diethanolamine (IARC 2B and ACGIH A3)
Reproductive Toxicity:	Mixture does not classify under this category.
STOT-Single Exposure:	Mixture does not classify under this category.
STOT-Repeated Exposure:	Mixture does not classify under this category.
Aspiration Hazard:	Mixture does not classify under this category.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity:	Volume of ingredients used does not trigger toxicity classifications under the Globally Harmonized System of Classification and Labelling of Chemicals.
Aquatic:	Not tested on finished formulation.
Terrestrial:	Not tested on finished formulation.
Persistence and Degradability:	Based on similar formulations, foam is expected to be readily biodegradable.
Bioaccumulative Potential:	No data available.
Mobility in Soil:	No data available.
Other Adverse Effects:	No data available.

Section 13: DISPOSAL CONSIDERATIONS

Unused or Used Liquid: May be considered hazardous in your area depending on usage and tonnage of disposal – check with local, regional, and or national regulations for appropriate methods of disposal.

Empty Containers: Dispose of in accordance with local regulations.

Never dispose of used degreasing rinsates into lakes, streams, and open bodies of water or storm drains.

Section 14: TRANSPORT INFORMATION

U.N. Number:	1950
U.N. Proper Shipping Name:	Aerosol
Transport Hazard Class(es):	2.2
Packing Group:	none
Environmental Hazards:	Marine Pollutant - NO
Transport in Bulk (according to Annex II of MARPOL 73/78 and IBC Code):	Unknown.
Special precautions which user needs to be aware of/comply with, in connection with transport or conveyance either within or outside their premises:	None known.

Section 15: REGULATORY INFORMATION

All components are listed on: TSCA and DSL Inventory.

SARA Title III: Sections 311/312 Hazard Categories – Not applicable.
Sections 313 Superfunds Amendments and Reauthorizations Act of 1986 – Diethanolamine (111-42-2) < 0.01%
Sections 302 – Not applicable.

Clean Air Act (CAA): Triethanolamine (102-71-6), Diethanolamine (111-42-2), Propylene Glycol Butyl Ether (5131-66-8)
Butane (106-97-8) CAA 112(r) TQ 10,000 lbs
Propane (74-98-6) CAA 112 (r) TQ 10,000 lbs

Section 15: REGULATORY INFORMATION – continued

Clean Water Act (CWA): Not applicable

CERCLA: Diethanolamine (111-42-2) 100 lb RQ

State Right To Know Lists: Triethanolamine (102-71-6) Massachusetts, New Jersey, Pennsylvania
 Diethanolamine (111-42-2) Massachusetts, New Jersey, Pennsylvania
 Butane (106-97-8) Massachusetts, New Jersey, Pennsylvania
State Right To Know Lists: Propane (74-98-6) Massachusetts, New Jersey, Pennsylvania

California Proposition 65: Diethanolamine (111-42-2) <0.01%

This product has been classified as “classifiable as hazardous” in accordance with Consumer Product Safety Commission (16 CFR Chapter 2), and labelled and packaged accordingly.

US Consumer Product Safety Commission Regulations

This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC). However, the use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. Therefore, the requirements of the Occupational Safety and Health Administration applicable to this SDS differ from the labeling requirements of the CPSC, and this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

Section 16: OTHER INFORMATION

Size 20 oz. aerosol
UPC 043318001802

USA items listed only. Not all items listed. USA items may not be valid for international sale.

Acronyms

NTP	National Toxicology Program	IARC	International Agency for Research on Cancer
OSHA	Occupational Safety and Health Administration	CPSC	Consumer Product Safety Commission
TSCA	Toxic Substances Control Act	DSL	Domestic Substances List

Prepared / Revised By: Sunshine Makers, Inc., Regulatory Department.

This SDS has been revised in the following sections: Aligned Section 3 with California Ingredient Disclosure and minor fixes.

DISCLAIMER: The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.