Version No. 4251128-24A Issue Date: 01 April 2024 Supersedes Date: n.a.

Section 1: IDENTIFICATION

Product Name:Simple Green® Pro Odor Eliminator – Eucalyptus ScentAdditional Names:

Manufacturer's Part Number: *Please refer to Section 16

Recommended Use:Hard and soft surface odor elimination, light cleanerRestrictions on Use:Use only as instructed on product label

Company:Sunshine Makers, Inc.Telephone:800-228-0709 • 562-795-6000 Mon – Fri, 8am – 5pm PST15922 Pacific Coast HighwayFax:562-592-3830Huntington Beach, CA 92649 USAEmail:info@simplegreen.comEmergency Phone:Chem-Tel 24-Hour Emergency Service: 800-255-3924


Section 2: HAZARDS IDENTIFICATION

This product is considered hazardous under 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). Eye Damage – Category 2A Skin Damage – Category 2

OSHA HCS 2012

Label Elements

Signal Word: Warning



Hazard Statements: Causes serious eye irritation. Causes skin irritation.

Precautionary Statements: Wash hands thoroughly after handling. Wear eye protection. Wear protective gloves. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: get medical advice. IF ON SKIN: Wash with plenty of water. If skin irritation occurs: get medical advice. Take off contaminated clothing and wash it before reuse.

Hazards Not Otherwise Classified (HNOC): None known Other Information: None Known

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Ingre | edient | <u>CAS Number</u> | Percent Range |
|-------------------------------|-----------------|--------------------------------------|------------------------|
| Water | | 7732-18-5 | > 94.0000%* |
| Quaternary Ammonium Chlorides | | Proprietary | < 2.0000%* |
| Surfactant | | Proprietary | < 1.0000%* |
| Tetrasodium EDTA | | 64-02-8 | < 1.0000%* |
| Citric Acid | | 77-92-9 | < 1.0000%* |
| Fragrance including: | | Proprietary | < 1.0000%* |
| Citral | | 5392-40-5 | < 0.0700%* |
| Hexyl Cinnamal | | 101-86-0 | < 0.0400%* |
| Benzyl salicylate | | 118-58-1 | < 0.0400%* |
| Coumarin | | 91-64-5 | < 0.0300%* |
| Citronellol | | 106-22-9 | < 0.0200%* |
| | *crosific porco | ntages of composition are being with | hold as a trade secret |

*specific percentages of composition are being withheld as a trade secret

Section 4: FIRST-AID MEASURES

Inhalation:Not expected to cause respiratory irritation. If adverse effect occurs, move to fresh air.Skin Contact:IF ON SKIN: Wash with plenty of water. If skin irritation occurs: get medical advice. Take off contaminated clothing
and wash it before reuse.



Version No. 4251128-24A Issue Date: 01 April 2024 Supersedes Date: n.a.

Section 4: FIRST-AID MEASURES - continued

Eye Contact:IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing. If eye irritation persists: get medical advice.Ingestion:May cause upset stomach. Drink plenty of water to dilute. See section 11.

Most Important Symptoms/Effects, Acute and Delayed: None known.

Indication of Immediate Medical Attention and Special Treatment Needed, if necessary: Treat symptomatically

Section 5: FIRE-FIGHTING MEASURES

Suitable & Unsuitable Extinguishing Media: Specific Hazards Arising from Chemical: Special Protective Actions for Fire-Fighters:

Use Dry chemical, CO2, water spray or "alcohol" foam. Avoid high volume jet water. In event of fire, fire created carbon oxides may be formed. Wear positive pressure self-contained breathing apparatus; Wear full protective clothing.

This product is non-flammable. See Section 9 for Physical Properties.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures: *For non-emergency and emergency personnel:* See section 8 – personal protection. Avoid eye contact. Safety goggles required.

Environmental Precautions: Do not allow into open waterways and ground water systems.

Methods and Materials for Containment and Clean Up: Dike or soak up with inert absorbent material. See section 13 for disposal considerations.

Section 7: HANDLING AND STORAGE

Precautions for Safe Handling: Ensure adequate ventilation. Keep out of reach of children. Keep away from heat, sparks, open flame and direct sunlight. Do not pierce any part of the container. Do not mix or contaminate with any other chemical. Do not eat, drink or smoke while using this product.

Conditions for Safe Storage including Incompatibilities: Keep container tightly closed. Keep in cool dry area. Avoid prolonged exposure to sunlight. Do not store at temperatures above 109°F (42.7°C). If separation occurs, mix the product for reconstitution.

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limit Values: No components listed with TWA or STEL values under OSHA or ACGIH.

Appropriate Engineering Controls: Showers, eyewash stations, ventilation systems

Individual Protection Measures / Personal Protective Equipment (PPE)

Eye Contact: Wear eye protection.

Respiratory: Use in well ventilated areas or local exhaust ventilations when cleaning small spaces.

Skin Contact: Use protective gloves (any material) when used for prolonged periods or dermally sensitive.

General Hygiene Considerations: Wash thoroughly after handling and before eating or drinking.

OSHA HCS-2012 / GHS

Issue Date: 01 April 2024

Supersedes Date: n.a.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Version No. 4251128-24A

| Appearance: | Cloudy Liquid | | Ра | Partition Coefficient: n-octanol/water: | | : | Not determined | |
|-----------------------------------------------------------|-----------------|-------------------------------------|--------------------------------|-----------------------------------------|----------------------------|--------------------------|----------------|---------------|
| Odor: | Addec | l Eucalyptus | odor 3 | Au | Autoignition Temperature: | | | Non-flammable |
| Odor Threshold: | Not de | etermined | | De | Decomposition Temperature: | | | 105°F |
| pH: | 6.0 - 1 | LO.O | | Vis | Viscosity: | | | Like water |
| Freezing Point: | 0°C (32°F) | | | Specific Gravity: | | | 0.99 - 1.01 | |
| Boiling Point & Range: | 101°C (213.8°F) | | VOCs: **Water & fragrance | | ance e | exemption in calculation | | |
| Flash Point: | > 212°F | | SCAQMD 304-91 / EPA 24: Not te | | ested | | | |
| Evaporation Rate: | Not determined | | CARB Method 310**: < 0.6% | | % | | | |
| Flammability (solid, gas): | Not applicable | | SCAQMD Method 313: Not t | | ested | | | |
| Upper/Lower Flammability or Explosive Limits: Not applica | | ole VOC Composite Partial Pressure: | | Not determined | | | | |
| Vapor Pressure: | Not determined | | Relative Density: | | 8.25 – 8.42 lb/gal | | | |
| Vapor Density: | Not determined | | | Solubility: | | 100% in water | | |

Section 10: STABILITY AND REACTIVITY

| Reactivity: | Non-reactive. |
|-------------------------------------|--------------------------------------------------------------------------------------|
| Chemical Stability: | Stable under normal conditions 70°F (21°C) and 14.7 psig (760 mmHg). |
| Possibility of Hazardous Reactions: | None known. |
| Conditions to Avoid: | Excessive heat or cold. |
| Incompatible Materials: | Do not mix with oxidizers, acids, bathroom cleaners, disinfecting agents or ammonia. |
| Hazardous Decomposition | Normal products of combustion - CO, CO2. |
| Products: | |

Section 11: TOXICOLOGICAL INFORMATION

| Likely Routes of Exposure: | Inhalation - | Overexposure may cause headache. |
|----------------------------|----------------|----------------------------------|
| | Skin Contact - | Causes skin irritation |
| | Eye Contact - | Causes serious eye irritation |
| | Ingestion - | May cause stomach upset. |

Symptoms related to the physical, chemical and toxicological characteristics: no symptoms expected under typical use conditions. Delayed and immediate effects and or chronic effects from short term exposure: no symptoms expected under typical use conditions. Delayed and immediate effects and or chronic effects from long term exposure: headache, dry skin, or skin irritation may occur. Interactive effects: Not known.

| Numerical Measures of To | oxicity | | | |
|-------------------------------|------------------------------------------------|------------------------------------------------------------------------------------|--|--|
| Acute Toxicity: | Oral LD ₅₀ (rat) | > 5 g/kg body weight | | |
| | Dermal LD50 (rabbit) | > 5 g/kg body weight | | |
| | Calculated via OSHA | HCS 2012 / Globally Harmonized System of Classification and Labelling of Chemicals | | |
| Skin Corrosion/Irritation: | Classifies as skin irri | tant under GHS. | | |
| Eye Damage/Irritation: | Classifies as serious eye irritant under GHS. | | | |
| Germ Cell Mutagenicity: | Mixture does not classify under this category. | | | |
| Carcinogenicity: | Mixture does not cl | assify under this category. | | |
| Reproductive Toxicity: | Mixture does not cl | assify under this category. | | |
| STOT-Single Exposure: | Mixture does not cl | assify under this category. | | |
| STOT-Repeated Exposure | : Mixture does not cl | assify under this category. | | |
| Aspiration Hazard: | Mixture does not cl | assify under this category. | | |

Version No. 4251128-24A Issue Date: 01 April 2024

Supersedes Date: n.a.

Section 12: ECOLOGICAL INFORMATION

| Ecotoxicity: Aquatic: Terrestrial: | Classification and Not tested on fin | Volume of ingredients used does not trigger toxicity classifications under the Globally Harmonized System of Classification and Labelling of Chemicals. Not tested on finished formulation. Not tested on finished formulation. | |
|------------------------------------------|-----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Persistence an | d Degradability: | No data available. | |
| Bioaccumulati | ve Potential: | No data available. | |
| Mobility in Soi | il: | No data available. | |
| Other Adverse | Effects: | No data available. | |

Section 13: DISPOSAL CONSIDERATIONS

Unused or Used Liquid: May be considered hazardous in your area depending on usage and tonnage of disposal – check with local, regional, and or national regulations for appropriate methods of disposal.

Empty Containers: May be offered for recycling.

Never dispose of used degreasing rinsates into lakes, streams, and open bodies of water or storm drains.

Section 14: TRANSPORT INFORMATION

| U.N. Number: | Not applicable | |
|---------------------------------|------------------------------------------------------|-------------|
| U.N. Proper Shipping Name: | Cleaning Compound, Liquid NOI | |
| Transport Hazard Class(es): | Not applicable | |
| Packing Group: | Not applicable | |
| Environmental Hazards: | Marine Pollutant - NO | |
| Transport in Bulk (according to | Annex II of MARPOL 73/78 and IBC Code): Unknown. | |
| Special precautions which use | needs to be aware of/comply with, in connection with | |
| transport or conveyance eithe | r within or outside their premises: | None known. |
| U.S. (DOT) / Canadian TDG: | Not Regulated for shipping. | |
| ICAO/ IATA: | Not classified as Hazardous | |

Not classified as Hazardous

Not classified as Hazardous

Non-corrosive to steel (SAE 1020)

Section 15: REGULATORY INFORMATION

All components are listed on: TSCA and DSL Inventory.

SARA Title III:Sections 311/312 Hazard Categories – Not applicable.Sections 313 Superfunds Amendments and Reauthorizations Act of 1986 – Not applicable.Sections 302 – Not applicable.

<u>Clean Air Act (CAA):</u> Not applicable <u>Clean Water Act (CWA):</u> Not applicable

IMO / IDMG:

EPA Test Method 1110A

ADR/RID:

State Right To Know Lists:No ingredients listedCalifornia Proposition 65:No ingredients listed

Version No. 4251128-24A Issue Date: 01 April 2024

Supersedes Date: n.a.

Section 15: REGULATORY INFORMATION

This product has been classified as "hazardous" in accordance with Consumer Product Safety Commission (16 CFR Chapter 2), and labelled and packaged accordingly.

US Consumer Product Safety Commission Regulations

This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC). However, the use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. Therefore, the requirements of the Occupational Safety and Health Administration applicable to this SDS differ from the labeling requirements of the CPSC, and this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

Section 16: OTHER INFORMATION

| <u>Size</u> | <u>UPC</u> |
|--------------------------------|------------------------------------------------------------------|
| 1 gallon | 043318007422 |
| 2.5 gallon | 043318007477 |
| 5 gallon | 043318007484 |
| USA items listed only. Not all | items listed. USA items may not be valid for international sale. |

NFPA:

| Health – Serious eye irritant, skin irritant | Stability – Stable |
|----------------------------------------------|--------------------|
| Flammability – Non-flammable | Special - None |

Acronyms

| NTP | National Toxicology Program | IARC |
|------|-----------------------------------------------|------|
| OSHA | Occupational Safety and Health Administration | CPSC |
| TSCA | Toxic Substances Control Act | DSL |

| International Agency for Research on Cancer |
|---------------------------------------------|
| Consumer Product Safety Commission |
| Domestic Substances List |

Prepared / Revised By:Sunshine Makers, Inc., Regulatory Department.This SDS has been revised in the following sections:SDS created

DISCLAIMER: The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.