Version No. 18300-18A Issue Date: July 25, 2018 Supersedes Date: October 22, 2014 OSHA HCS-2012 / GHS

Section 1: IDENTIFICATION

Product Name: Simple Green® Stainless Steel One-Step Cleaner & Polish

Additional Names:

Manufacturer's Part Number: *Please refer to Section 16

Recommended Use: Light cleaner and polish for household stainless steel appliances.

Restrictions on Use: Do not use on floors or direct food contact surfaces.

Company: Sunshine Makers, Inc. **Telephone:** 800-228-0709 ● 562-795-6000 *Mon – Fri, 8am – 5pm PST*

15922 Pacific Coast Highway **Fax:** 562-592-3830

Huntington Beach, CA 92649 USA **Email:** info@simplegreen.com

Emergency Phone: Chem-Tel 24-Hour Emergency Service: 800-255-3924

Section 2: HAZARDS IDENTIFICATION

This product is classified as hazardous (Eye Corrosive/Irritant - Category 2A) under 2012 OSHA Hazard Communication Standards (29 CFR 1910.1200).

OSHA HCS 2012 Label Elements

Signal Word: Warning Hazard Symbol(s)/Pictogram(s):



Hazard Statements:

H319 – Causes serious eye irritation.

Precautionary Statements:

P305 + P351+ P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 – If eye irritant persists: Get medical attention.

P264 – Wash hands thoroughly after handling.

P280 – Wear protective gloves and eye protection when handling concentrate.

Hazards Not Otherwise Classified (HNOC): None

Other Information: None Known

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

<u>Ingredient</u>	CAS Number	Percent Range
Water	7732-18-5	> 92%*
Alkyl, aryl derivatives	68855-24-3	< 5%*
Poly(dimethyl)siloxane	63148-62-9	< 1%*
Hexylene Glycol	107-41-5	< 1%*
Citric Acid	77-92-9	< 1%*

stspecific percentages of composition are being withheld as a trade secret

Section 4: FIRST-AID MEASURES

Inhalation: Not expected to cause respiratory irritation. If adverse effect occurs, move to fresh air. **Skin Contact:** Not expected to cause skin irritation. If adverse effect occurs, rinse skin with water.

Version No. 18300-18A Issue Date: July 25, 2018 Supersedes Date: October 22, 2014 OSHA HCS-2012 / GHS

Section 4: FIRST-AID MEASURES - continued

Eye Contact: Causes serious eye irritation. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritant persists: Get medical attention.

Ingestion: May cause upset stomach. Drink plenty of water to dilute. See section 11.

Most Important Symptoms/Effects, Acute and Delayed: None known.

Indication of Immediate Medical Attention and Special Treatment Needed, if necessary: Treat symptomatically

Section 5: FIRE-FIGHTING MEASURES

Suitable & Unsuitable Extinguishing Media: Use Dry chemical, CO2, water spray or "alcohol" foam. Avoid high volume jet water.

Specific Hazards Arising from Chemical: In event of fire, fire created carbon oxides may be formed.

Special Protective Actions for Fire-Fighters: Wear positive pressure self-contained breathing apparatus; Wear full protective

clothing.

This product is non-flammable. See Section 9 for Physical Properties.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

For non-emergency personnel: See section 8 – personal protection.

For emergency responders: Avoid eye contact. Wear Protective Gloves and safety goggles.

Environmental Precautions: Do not allow into open waterways and ground water systems.

Methods and Materials for Containment and Clean Up: Dike or soak up with inert absorbent material. See section 13 for disposal considerations.

Section 7: HANDLING AND STORAGE

Precautions for Safe Handling: Ensure adequate ventilation. Keep out of reach of children. Keep away from heat, sparks, open flame and direct sunlight. Do not pierce any part of the container. Do not mix or contaminate with any other chemical. Do not eat, drink or smoke while using this product.

Conditions for Safe Storage including Incompatibilities: Keep container tightly closed. Keep in cool dry area. Avoid prolonged exposure to sunlight. Do not store at temperatures above 95°F (35°C) or freezing temperatures.

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limit Values:

Hexylene Glycol 107-41-5 California, Connecticut, Michigan, Minnesota, OSHA, 25 ppm; 125 mg/m³ PEL

New York, Tennessee, Vermont, Washington,

Appropriate Engineering Controls: Showers, eyewash stations, ventilation systems

Individual Protection Measures / Personal Protective Equipment (PPE)

Eye Contact: Use protective glasses or safety goggles if splashing or spray-back is likely.

Respiratory: Use in well ventilated areas or local exhaust ventilation when cleaning small spaces.

Skin Contact: Use protective gloves (any material).

General Hygiene Considerations: Wash thoroughly after handling and before eating or drinking.

Version No. 18300-18A Issue Date: July 25, 2018 Supersedes Date: October 22, 2014 OSHA HCS-2012 / GHS

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Milky White Liquid Partition Coefficient: n-octanol/water: Not determined

Odor: No added fragrance Autoignition Temperature: Non-flammable

Odor Threshold: Not determined Decomposition Temperature: 95°F

pH: 4.5 - 7.5 **Viscosity:** Like water

Freezing Point: $0^{\circ}\text{C }(32^{\circ}\text{F})$ Specific Gravity: 0.99 - 1.01

Boiling Point & Range: 101°C (213.8°F) **VOCs:** **Water & fragrance exemption in calculation

Flash Point: > 212°F SCAQMD 304-91 / EPA 24: Not tested

Evaporation Rate: Not determined CARB Method 310**: 1 g/L 0.008 lb/gal 0.1%

Flammability (solid, gas): Not applicable SCAQMD Method 313: Not tested

Upper/Lower Flammability or Explosive Limits: Not applicable VOC Composite Partial Pressure: Not determined

Vapor Pressure:Not determinedRelative Density:8.25 – 8.42Vapor Density:Not determinedSolubility:100% in water

Section 10: STABILITY AND REACTIVITY

Reactivity: Non-reactive.

Chemical Stability: Stable under normal conditions 70°F (21°C) and 14.7 psig (760 mmHg).

Possibility of Hazardous Reactions: None known.

Conditions to Avoid: Excessive heat or cold.

Incompatible Materials: Do not mix with oxidizers, acids, bathroom cleaners, or disinfecting agents.

Hazardous Decomposition Products: Normal products of combustion - CO, CO2.

Section 11: TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Inhalation - Overexposure may cause headache.

Skin Contact - Not expected to cause irritation, repeated contact may cause dry skin.

Eye Contact - Causes serious eye irritation. Ingestion - May cause upset stomach.

Symptoms related to the physical, chemical and toxicological characteristics: no symptoms expected under typical use conditions. Delayed and immediate effects and or chronic effects from short term exposure: no symptoms expected under typical use conditions. Delayed and immediate effects and or chronic effects from long term exposure: headache, dry skin, or skin irritation may occur. Interactive effects: Not known.

Numerical Measures of Toxicity

Acute Toxicity: Oral LD₅₀ (rat) > 5 g/kg body weight

Dermal LD₅₀ (rabbit) Not calculated

Calculated via OSHA HCS 2012 / Globally Harmonized System of Classification and Labelling of Chemicals

Skin Corrosion/Irritation: Non-irritant per Dermal Irritection® assay modeling. No animal testing performed.

Eye Damage/Irritation: Causes serious eye irritation per Ocular Irritection® assay modeling. No animal testing performed.

(GHS Hazard category 2A)

Germ Cell Mutagenicity: Mixture does not classify under this category.

Carcinogenicity: Mixture does not classify under this category.

Reproductive Toxicity: Mixture does not classify under this category.

STOT-Single Exposure: Mixture does not classify under this category. STOT-Repeated Exposure: Mixture does not classify under this category. Aspiration Hazard: Mixture does not classify under this category.

Version No. 18300-18A Issue Date: July 25, 2018 Supersedes Date: October 22, 2014 OSHA HCS-2012 / GHS

Section 12: ECOLOGICAL INFORMATION

Volume of ingredients used does not trigger toxicity classifications under the Globally Harmonized System of **Ecotoxicity:**

Classification and Labelling of Chemicals.

Not tested on finished formulation. Aquatic: Terrestrial: Not tested on finished formulation.

Persistence and Degradability: No data available. **Bioaccumulative Potential:** No data available. **Mobility in Soil:** No data available. Other Adverse Effects: No data available.

Section 13: DISPOSAL CONSIDERATIONS

Unused or Used Liquid: May be considered hazardous in your area depending on usage and tonnage of disposal – check with local, regional, and or national regulations for appropriate methods of disposal.

Empty Containers: May be offered for recycling.

Never dispose of used degreasing rinsates into lakes, streams, and open bodies of water or storm drains.

Section 14: TRANSPORT INFORMATION

U.N. Number: Not applicable **U.N. Proper Shipping Name:** Cleaning Compound, Liquid NOI

Transport Hazard Class(es): Not applicable Not applicable **Packing Group: Environmental Hazards:** Marine Pollutant - NO

Transport in Bulk (according to Annex II of MARPOL 73/78 and IBC Code): Unknown.

Special precautions which user needs to be aware of/comply with, in connection None known.

with transport or conveyance either within or outside their premises:

U.S. (DOT) / Canadian TDG: Not Regulated for shipping. ICAO/ IATA: Not classified as Hazardous IMO / IDMG: Not classified as Hazardous ADR/RID: Not classified as Hazardous

Section 15: REGULATORY INFORMATION

All components are listed on: TSCA and DSL Inventory.

Sections 311/312 Hazard Categories - Not applicable. **SARA Title III:**

Sections 313 Superfunds Amendments and Reauthorizations Act of 1986 - Not applicable.

Sections 302 – Not applicable.

Clean Air Act (CAA): Not applicable Clean Water Act (CWA): Not applicable **CERCLA:** Not applicable

Hexylene Glycol 107-41-5 **State Right To Know Lists:** Massachusetts, New Jersey, Pennsylvania

California Proposition 65: No ingredients listed

Texas ESL:

Hexylene Gylcol 107-41-5 25ppb; 120 μg/m³ long term 250 ppb; 1200 μg/m³ short term Poly(dimethyl)siloxane 63148-62-9 $5 \mu g/m^3$ (PM 10) 100 $\mu g/m^3$ (vapor) 10 $\mu g/m^3$ long 50 μg/m³ (PM 10) 1000 μg/m³ (vapor)

> $100 \,\mu g/m^3$ short term term

 $5 \mu g/m^3$ (PM 10) 100 $\mu g/m^3$ (vapor) long term Alkyl, aryl derivatives 68855-24-3

50 μg/m³ (PM 10) 1000 μg/m³ (vapor) short

term Citric Acid 77-92-9 10 μg/m³ long term

100 μg/m³ short term

Version No. 18300-18A Issue Date: July 25, 2018 Supersedes Date: October 22, 2014 OSHA HCS-2012 / GHS

Section 16: OTHER INFORMATION

<u>Size</u> <u>UPC</u>

 2 fl oz.
 043318183027

 16 fl oz.
 043318183034

 32 fl oz.
 043318183003

 1 Gallon
 043318183041

 5 Gallon
 043318183058

 55 Gallon
 043318183553

USA items listed only. Not all items listed. USA items may not be valid for international sale.

NFPA:

Health – Eye Irritant Stability – Stable Flammability – Non-flammable Special - None



Acronyms

NTP National Toxicology Program IARC International Agency for Research on Cancer OSHA Occupational Safety and Health Administration CPSC Consumer Product Safety Commission TSCA Toxic Substances Control Act DSL Domestic Substances List

Prepared / Revised By: Sunshine Makers, Inc., Regulatory Department.

This SDS has been revised in the following sections: Update to Section 16

DISCLAIMER: The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.