### simple green

INDUSTRIAL, INSTITUTIONAL AND HOUSEHOLD PRODUCT RANGE





TRA

Щ		SIMPLE GREEN <sup>®</sup> INDUSTRIAL Cleaner/Degreaser/Deodoriser										
<b>GENERAL PURPOSI</b>	<b>simple</b>	intense grime, y	<ul> <li>Concentrated formula powerful enough for intense grime, yet gentle enough for continued maintenance of high-traffic areas</li> <li>Not classified as hazardous according to Model Work Health &amp; Safety Regulations and GHS Criteria</li> </ul>									
P			<ul> <li>Clean, degrease and deodorise all washable/</li> </ul>			No special PPE requirements for handling						
AL		water-safe surfaces in a wide range of industries including mining, manufacturing and			ing and	<ul> <li>Safe for use in cleaning equipment such as floor scrubbers, pressure washers &amp; foamers</li> </ul>						
ER		<ul> <li>automotive</li> <li>Cuts through tough grease, oils, cutting fluids,</li> </ul>				Dilution and application chart available						
EN	The second se	<ul> <li>Cuts through to built-up grime a</li> </ul>			utting	tiulas,	• Quio	k break for	mulati	on		
U				946 ml SG13033		3.78 Ltr SG13005		20 Ltr SG13004		208 Ltr SG13034		1040 Ltr SG13275
				3913033		3013003		3013004		3013034		3013273
		SIMPLE GREEN <sup>®</sup> SUPREME Heavy-Duty Cleaner & Degreaser										
UTΥ	For Heavy-Eddy Cleaning Applications	<ul> <li>Formulated for heavy-duty degreasing tasks such as engines, machinery, manufacturing equipment, dip tanks, HVACR coils and cooling</li> <li>Use in aqueous-based parts washers, steam cleaners, floor scrubbers, pressure sprayers and ultrasonic baths</li> </ul>										
HEAVY-DUTY		<ul><li>towers</li><li>Concentrated formula (dilution &amp; application chart available)</li></ul>				<ul> <li>Low foaming so less water is required when rinsing &amp; features Quick Break for use in facilities equipped with an oil/water separator</li> </ul>						
HE/		<ul> <li>Removes machining oils and cutting fluids from manufactured parts and extruded tubing</li> </ul>			<ul> <li>Not classified as hazardous according to Model Work Health &amp; Safety Regulations and GHS Criteria</li> </ul>							
								20 Ltr SG13492	-	208 Ltr SG13493		1040 Ltr SG13494
		EXTREME SIMPLE GREEN <sup>®</sup> Aircraft & Precision Cleaner										
_		<ul> <li>Cuts through tough greases, oils, built-up grime and residue on aircraft, equipment, engines,</li> <li>Concentrated, superior grease cutting &amp; clean rinsing formula (dilution and application chart</li> </ul>										
0		<ul> <li>machinery, wind turbines and more</li> <li>Meets a variety of aircraft testing specifications including the BOEING SPEC D6-17487P</li> </ul>				<ul> <li>available)</li> <li>Biodegradable and petroleum-distillate-free, no reagents that oxidize finishes or degrade plastics</li> <li>Not classified as hazardous according to Model Work Health &amp; Safety Regulations and GHS</li> </ul>						
AT												
<b>AVIATION</b>		<ul> <li>Use on structual metals, hoses, seals &amp; factory finishes without risk of hydrogen embrittlement</li> </ul>										
		or corrosion					Crite	eria	-			
			7	946 ml		3.78 Ltr	• Quic	k break for 20 Ltr		208 Ltr		1040 Ltr
			2	SG13412		SG13406		SG13419		SG13455		SG13475
		SIMPLE GREE	N° TR		сн							
		Used to wash tr				inerv	• 20 lii	tres of cond	entrat	e will make	600 litre	s of
<b>FRANSPORT</b>	· FOR TRUCKS, BUSES, TRAINS & MORE ·	trams, buses, trains, cars, boats, etc.			ready-to-use product at a dilution of 1:30							
PO	simple green		<ul> <li>Can be used with automated wash, pressure washer, foaming gun, spray pack, brush or</li> </ul>				<ul> <li>Non-toxic, readily biodegradable, non-abrasive, non-corrosive, non-flammable</li> </ul>					
NS		sponge		wator is roo	uirod	whon		es residue-				
RA		rinsing	<ul> <li>Lower foaming so less water is required when rinsing</li> <li>Features Quick Break so is ideal in wash bays equipped with an oil/water separator</li> </ul>			<ul> <li>Not classified as hazardous according to Model Work Health &amp; Safety Regulations and GHS Criteria</li> </ul>						
н												
								20 Ltr SG13480	-	208 Ltr SG13482		1040 Ltr SG13487
								J01340U		5015402	للسيع الده	5015407
		SIMPLE GREE	N° VI	EHICLE W	lash	& Wax						
H			<ul> <li>Specially formulated for pressure washing,</li> <li>Safe for use on factory and aftermarket</li> <li>Friebos including clear costs, chrome</li> </ul>						arket ve	hicle		
OR			bucket and brush, and hand washing applications with carnauba wax			finishes including clear coats, chrome, glass, rubber, and vinyl						
ANSPORT		<ul> <li>Use on buses, ta sanitation fleets</li> </ul>					Coneration		ormula	with econo	omical di	lution
AN		<ul> <li>Ideal for cars, tri</li> </ul>							t on co	ncrete and a	asphalt	

• Cuts through tough road film and exhaust

deposits without heavy scrubbing

- Safe for contact on concrete and asphalt
- Readily biodegradable and VOC compliant

208 Ltr SG02055





### SIMPLE GREEN<sup>®</sup> PARTS WASHING Fluid

- Designed for conventional and rotating parts washers that use a aqueous-based degreaser
- 25 litres of concentrate makes 100 litres of product at a dilution of 1:3
- Used liquid may be disposed of into oil/water separators that will reduce hazardous disposal costs
- Non-toxic, readily biodegradable, nonflammable and non-caustic
- A multi-use product which can also be diluted for general cleaning and degreasing applications
- Not classified as hazardous according to Model Work Health & Safety Regulations and GHS Criteria





### SIMPLE GREEN<sup>®</sup> SAFETY TOWELS


- Specially designed with the industrial cleaning strength of Crystal Simple Green<sup>®</sup>
- Convenient cleaning and scrubbing of watersafe surfaces
- Safely removes grease, oil, wet paint, carbon, graphite, tar, soot, grime, and much more
- Ready-to-use, safer, non-citrus formula with no added colour or scent
- Dual textured the scrubbing side removes grease and oil whilst the softer side provides lint-free wiping.
- These towels also have an excellent wicking/ fluid-holding capacity and are highly resistant to rot and mildew

and a	5 Sheets	000	75 Sheets
	SG13322	0.000	SG13351



### SIMPLE GREEN<sup>®</sup> ANTI-SPATTER

- Ready-to-use, high performance, solvent-free spatter release solution specially formulated for the welding industry
- Non-flammable, non-corrosive, readily biodegradable
- Keeps nozzles, diffusers, tips and shrouds clear of spatter build-up
- Prevents welding spatter from sticking to tables, jigs and other metal work surfaces
- Rinses residue-free for use prior to plating or painting
- Does not contain Methylene Chloride or silicone
- No special PPE required such as respirators
- Formula does not contain any ingredients that trigger respiratory sensitization
- Safe for painted & plated metals, aluminium and other metal surfaces



### SIMPLE GREEN<sup>®</sup> LAUNDRY LIQUID Industrial Free & Clear

- For use in commercial and household machines including regular, high-efficiency (HE), sideloading, top-loading or high-capacity machines
- Ideal for cleaning turnout gear and PPE used in fire and other municiple departments
- Removes heavy grease, grime and ground in dirt from rags and cloths used in auto, plumbing, machine and other repair services
- Colour and scent-free detergent won't irritate delicate skin
- Readily biodegradable formula is compatible
   with septic systems
- Breaks down food, wine, coffee, grease and oil stains on tablecloths, napkins and aprons used in restaurants and catering companies

18.9 Ltr	208 Ltr	
 SG03005	SG03055	

18.9 | tr

SG04005



### SIMPLE GREEN<sup>®</sup> Foaming Coil Cleaner Aerosol & Liquid

- Professional-strength, self-rinsing coil cleaner helps keep equipment at optimum performance levels
- Formula quickly penetrates to remove the dirt, grease and grime that can cause clogs and impede heat transfer
- For use on aluminium, stainless steel, painted or enameled metals, plastics, acrylic, stone and more
- Ideal for use on HVAC units, refrigerators,

freezers and similar equipment

- NSF registered C1 and P1 for use in and around food processing areas
- Non-corrosive, non-flammable, and non-fuming formula with no added colour or scent
- Available in liquid concentrate or convenient ready-to-use foaming aerosol can equipped with 360 degree valve





### SIMPLE GREEN<sup>®</sup> CLEAN BUILDING Products

- Meets the Green Seal<sup>™</sup> Standard GS-37 based on effective performance, concentrated volume, minimized/recycled packaging, and protective limits on VOCs and human and environment toxicity. (For more information, please visit GreenSeal.org)
- Unlike other standards, the GS-37 Standard (Industrial/Institutional Cleaning Products) has always contained an efficacy requirement (i.e., the products have to work.)
- Cleaner contains no added fragrances, which can aggravate allergies or other sensitivities
- Perfect for use in schools, universities, government facilities and other buildings that require environmentally preferable product purchasing
- · Complies with environmentally preferable product purchasing programs

**1. All-Purpose:** Penetrates and lifts dirt, grime and oily soils from hard, non-porous surfaces without heavy scrubbing. Formula is noncaustic and non-flammable. Dilution Ratio 2% Concentrate/98% water

**2. Bathroom:** Removes soap scum and hard water stains without harsh chemicals. Specifically formulated for cleaning scale and scum types of soils typically found on hard bathroom surfaces.

Dilution Ratio 5% Concentrate/95% water

**3. Glass:** Cleans glass, mirrors and reflective surfaces without streaks and smears and does not contain ammonia or isopropyl alcohol, making it a much safer option than other common glass cleaners. Dilution Ratio 3.3% Concentrate/96.6% water

4. Carpet: Safely eliminates stains and dirt from carpet and upholstery in high-traffic areas. Certified safe and effective by the Carpet and Rug Institute. Dilution Ratio 5% Concentrate/95% water




# SPECIALITY

### SIMPLE GREEN<sup>®</sup> CLEAN BUILDING Proportioners and Wire Racks

**PROPORTIONER:** To coincide with the SIMPLE GREEN<sup>°</sup> CLEAN BUILDING Range, the optional single or four product proportioners dispense concentrate using pre-set dilutions, delivering diluted solution at 3.78 litres-per minute.

WIRE RACK: To coincide with the SIMPLE GREEN<sup>®</sup> CLEAN BUILDING Range, the optional single or four product wallmounted wire racks assure product security and prevent theft and tampering.

\*Product sold separately



### SIMPLE GREEN<sup>®</sup> PROFESSIONAL GRADE Products

### **Heavy-Duty Cleaner:**

- Multi-Purpose heavy-duty cleaner, degreaser and deodoriser quickly eliminates tough grease, grime and stains
- Readily biodegradable, non-corrosive formula is safe for use on metals, plastics, concrete, vinyl, painted surfaces, sealed wood and more
- Use manually or with cleaning equipment
- Dilute 1:3 for heavy soils, 1:5 for medium
- soils, and 1:13 for lighter soils

### Shower, Tub & Tile Cleaner:

- Dual-purpose formula provides heavyduty descaling and effective daily cleaning on tile, metals, porcelain, plastic, PVC and more
- Non-abrasive cleaner removes built-up lime scale, hard water scale and soap scum without stripping protective finishes or causing discoloration
- Organic salt formula is bleach, ammonia, and phosphate-free
- Use full-strength for heavy soils and dilute 1:1 for everyday use

Heavy-Duty

3.78 Ltr

SG13421

### **Glass Cleaner:**

- Non-toxic formula removes fingerprints, air pollution, oils and grime from both indoor and outdoor glass surfaces without leaving streaks
- Ammonia-free formula is safer for use around other cleaning products that could contain chlorine
- Safe for plain and factory-tinted automotive glass and metal auto trims
- Cost effective concentrate dilutes at 1:3

### **Carpet Cleaner:**

- Orally non-toxic formula is certified by The Carpet and Rug Institute not to damage carpet fibres or backings
- Use manually or in carpet cleaning equipment to remove tough stains, dirt, grime, oils and more
- Does not contain amines or bleach that can cause discoloration or damage
- Dilute 1:10 for heavy soils, 1:16 for medium soils, and 1:21 for lighter soils







Carpet

3.78 Ltr

SG03128



 Leaves behind a pleasant, sunshine fresh scent
 <u>650 ml</u>
 <u>5601022</u>

Septic safe

loads

2.95 | tr

SG17101

**OTORSPORT** 



### SIMPLE GREEN<sup>®</sup> MOTORSPORTS Cleaner & Degreaser

- Cut through tough grease, oil, & grime on vehicles, engines, tools, equipment & more
- For cars, motorcycles, ATVs, RVs, watercraft, aircraft, bicycles & other recreational vehicles
- Safe for use on engines, underbodies, tyres, carpets, fabric, painted surfaces & more
- Non-corrosive formula is safe for use on carbon fiber, high-tech alloys & chrome
- Safe for painted surfaces, gel coats, protective coatings, rubber & plastic
- No reagents that oxidize finishes or cause rust within the fluid
- Perfect for use in auto repair & restoration, precision fabrications & metal working
- Meets stringent Boeing aircraft cleaning specification D6-17487P





### SIMPLE GREEN<sup>®</sup> WASH & WAX

- · Cleans and shines in one easy step
- Removes dirt, grime and pollution, leaving behind a brilliant showroom shine
- Carnauba wax provides an added layer of protection for automotive surfaces
- Non-toxic formula is safer than most common cleaners
- Safe for paint, clear coat, windows, metal, chrome, rubber, canvas, vinyl, and more!
- Use on cars, trucks, motorcycles, RVs and more
- Won't dull or strip waxed surfaces, clear coats, gel coats or specialty paints
- Refreshing scent





### SIMPLE GREEN<sup>®</sup> ALL WHEEL & TIRE Cleaner

- Use on cars, trucks, motorcycles, RVs & more
- Removes caked-on brake dust, grease, grime, tar, mud and road soils with minimal scrubbing
- Foaming spray gets into crevices and tight areas, clinging for a superior clean
- For chrome, aluminum, clear-coated, machined and painted wheels, plus tires and whitewalls
- Overspray safe for vehicle bodies

- Non-toxic and biodegradable formula
- Formula is non-abrasive and non-corrosive
- No dangerous, caustic fumes





MARINE

### SIMPLE GREEN<sup>®</sup> MARINE All-Purpose Boat Cleaner

- For use on boats, personal watercraft, trailers, fishing equipment, dinghies, skiing equipment, inflatables, coolers, safety gear & more
- Cost-effective, concentrated formula for use on all washable surfaces in or near marine environments
  - Removes salt, bird droppings & other stains from canvas, sailcloth, covers, tops & carpets
- Cuts through grease, oils, gas & diesel without being corrosive to metals
- Safe for cleaning, degreasing & stain removal on all washable surfaces including fibreglass, treated wood, metal, rubber, plastic, paint, glass, fabric & more
- Non-scented formula is ideal for small spaces like galleys & heads
- Clean rinsing formula won't leave behind a haze
   or film





### SIMPLE GREEN<sup>®</sup> SCRUBBING PAD

- Quick and easy to use Just wet with water and squeeze to activate!
- Pre-Loaded with Simple Green<sup>®</sup> Industrial cleaner & degreaser concentrate (just add water for repeated use)
- Use on any washable, water-safe surface in your home, workplace etc.
- Non-abrasive

- Safe for delicate surfaces such as tile, teak, marble and fibreglass, yet strong enough for tough cleaning jobs like grimy tubs and barbecues
- Cleans tough soils like cooking grease, dirt, food soils, pet soils, oil, soot & more
- Non-toxic & biodegradable
- Made from 100% recycled polyester



### **Equipment and Accessories**



### SIMPLE GREEN<sup>®</sup> Foamer

- An easy hose-end attachment that delivers a powerful jet spray of foamed Simple Green<sup>®</sup> solution for large areas
- Use in food preparation areas, wash rooms, or any situation where use of water diluted chemicals is required
- Foaming provides clinging ability for vertical and hard to reach surfaces and enhances product performance
- No pre-mixing is necessary as chemical and water are automatically blended in the mixing head as you spray
- Bottle holds 2.7 litres of concentrate
- · Quick-release handle removes for rinsing



## FOAMING

### SIMPLE GREEN<sup>®</sup> Heavy-Duty Foamer

- Unique medium volume hose-end foaming gun for diluting and applying foaming chemicals to any surface
- Creates rich, wet foam which increases chemical contact time and effectiveness
- Projects foam up to 3.7 metres (depending on water pressure)
- The stainless steel quick disconnect socket features 6 retaining balls to lock the bottle and foam assembly securely in place for easy rinsing
- No moving parts! Venturi action dilutes chemical consistently
- Great performance with pressure as low as 20PSI
- · Lighty weight 946ml capacity





### SIMPLE GREEN<sup>®</sup> Pump Up Foamer Pro

- A portable foam applicator for applying foaming chemicals at full strength or pre-diluted to any surface
- Creates rich, clinging foam that adheres to surfaces longer to maximize chemical effectiveness
- Combines the advantages of foam application with the familiar ease and portability of a pumpup sprayer
- Just fill the tank with ready-to-use chemical solution, pump it up and foam!
- Use the "quick charge" valve to pressurize with an air compressor instead of pumping (must disconnect airline during operation)
- Heavy-duty, easy-grip trigger gun with locking latch
- Wide fan pattern nozzle for fast application





### SIMPLE GREEN<sup>®</sup> LV Foamer

- Designed for cleaning small areas, around sensitive equipment or for close-range foaming
- Projects a low volume of rich, clinging foam which increases chemical contact time and effectiveness
- Fan pattern nozzle for quick, precise coverage with little overspray (up to 2.7 metres range)
- Covers up to 500 sq ft (46.5 sq m) in 4.5 minutes
- Dilution rato range 149:1 to 5:1 @ 40PSI
- Adjustable foam consistency (wet/dry)

- Water and air pressure gauges eliminate guessing to reduce set-up time and help with troubleshooting
- Chemical resistant wetted components ensure years of outstanding performance with minimal maintenance
- Industrial-strength design holds up in tough environments
- Optional hose rack

1.21	1 Product	$\square$	Hose Rack		
17	SG913105-G		SG224150		



### SIMPLE GREEN<sup>®</sup> LC Foamer

- Designed for foam cleaning medium to large surfaces
- Creates a medium volume of rich, clinging foam which increases chemical contact time and effectiveness
- Fan pattern nozzle for fast coverage (up to 3.6 metres range)
- Covers up to 500 sq ft (46.5 sq m) in 2 minutes
- Dilution ratio range 306:1 to 6:1 @ 40PSI
- Adjustable foam consistency (wet/dry)
- Water and air pressure gauges eliminate guessing to reduce set-up time and help with troubleshooting
- Chemical resistant wetted components ensure years of outstanding performance with minimal maintenance
- Industrial-strength design holds up in tough environments
- Optional hose rack



### **Equipment and Accessories**



### SIMPLE GREEN<sup>®</sup> HV Foamer with Gauges

- Designed for foam cleaning large areas and equipment
- Projects a high volume of rich, clinging foam which increases chemical contact time and effectiveness
- Fan pattern nozzle for fast coverage (up to 4.5 metres range)
- Covers up to 500 sq ft (46.5 sq m) in 1 minute
- Dilution range 914:1 to 6:1 @ 40PSI
- Zero degree nozzle for up to 7.6 metres range
- SIMPLE GREEN<sup>®</sup> SUPER HV Foamer
- Projects an incredibly high volume of rich, clinging foaming chemical on to large surfaces and high ceilings
- Foam increases chemical contact time and cleaning effectiveness and also expands the chemical and reduces over-application by providing visual assurance of coverage
- Open flow foam nozzle projects foam up to 13.7 metres for cleaning very large areas, equipment and high ceilings without ladders or lifts

- Adjustable foam consistency (wet/dry)
- Water and air pressure gauges eliminate guessing to reduce set-up time and help with troubleshooting
- Chemical resistant wetted components ensure years of outstanding performance with minimal maintenance
- Optional hose rack



- Dilution ratio range 2,240:1 to 10:1 @ 40PSI
- Adjustable foam consistency (wet/dry)
- Water and air pressure gauges eliminate guessing to reduce set-up time and help with troubleshooting

near sensitive equipment where minimal over-

• Industrial-strength design holds up in tough

• Use it where 35-125 PSI water is available

Fan pattern nozzle for even coverage

Optional hose rack available

spray is crucial

environments





### SIMPLE GREEN<sup>®</sup> W-20 HC SPRAY ALL

- A low volume, "high concentrate" spray applicator that produces strong dilution ratios for the toughest cleaning jobs
- Achieves chemical concentrations up to 2.4 to 1 for those tough applications
- Weaker dilution ratios controlled by precision metering tips
- Creates a low volume spray (under 1 GPM @ 40 PSI)
- · Ideal for precision application in small areas and

### SIMPLE GREEN<sup>®</sup> LIBERTY SPRAYER

- A chemical spray applicator for projecting ready-to-use chemical solution on to a variety of surfaces.
- Draws pre-diluted chemical from a usersupplied tank
- Cost-effective Flojet AODD pump
- The chemical flow rate is regulated to match the mid-range of the air pump's specified operating range which protects the pump from running, repetitively, at a maximum capacity
- Alternate nozzles to project a low or medium volume fan pattern spray
- Powered solely by compressed air
- Corrosion resistant wetted components ensure durability
- Lockable, stainless steel pump enclosure

1 Product SG940005

1 Product

SG970220HC

é



### SIMPLE GREEN<sup>°</sup> PRO FOAM - Food Sector

- Used to create a good quality dry foam on washable surfaces
- Direct connection to water tap and compressed air network
- Low water consumption
- Efficient and precise dilution ratio thanks to 14 calibrated metering tips
- Built in back flow protection and filter
- Thermoclean approved hose for the food sector, resistant to 70  $^{\circ}\text{C}$  20 bar
- Spray wands are stainless steel to handle the rigours of its environment
- Anti-freeze rubber protection on wand handles
- Stainless steel 316 ball valve and quick coupler
- Built out of 5mm white PVC
- Hose Length: 20 metres





### SIMPLE GREEN<sup>®</sup> Pressure Foamer - Portable - Food Sector

- Produces a super-clinging, aerosol-type foam full strength or pre-diluted
- Suitable for vehicle wash, agriculture/ horticulture, animal health, food & beverage, industrial, janitorial/sanitation, metal processing, supermarkets, and many other applications where portable cleaning is required
- Easy control of the foam and regulation of the air and solution flow rate
- Stainless steel construction
- Solution and air adjustable
- · Includes draining valve and air pressure regulator with pressure gauge





### SIMPLE GREEN<sup>®</sup> 2 Way Ball Valve Mixing Station

- A chemical proportioner for accurately diluting 2 chemical concentrates to required ratios and filling any sized container with diluted, ready-touse chemical solutions
- Ball valve activation allows for hands-free dispensing
- The dilution ratio for each valve is set independently with a choice of flow rates for filling small to large containers
- Eliminates manual mixing and optimizes chemical utilization, employee safety and labor efficiencv
- Suitable for use in restaurants, agriculture/ horticulture, animal health, vehicle wash, hatchery, industrial, janitorial/sanitation, metal processing, and many other applications!
- High flow and bottle fill

1 Product SG985200



### SIMPLE GREEN<sup>®</sup> Dilution Bottle

- · Adjustable nozzle gives you three different application settings: spray, stream or foam
- Suitable for all varieties of Simple Green<sup>®</sup> concentrates
- Can be used for both commercial and industrial cleaning and degreasing
- Secondary labels are available for selected Simple Green<sup>®</sup> concentrated formulas (see below)

946 ml SG89010

538

ZO		
Ĩ L	inger -	
DIL		

### SIMPLE GREEN<sup>®</sup> Secondary Labels

Used to identify Simple Green® concentrates being used in the Simple Green® Dilution Bottles

- Simple Green<sup>®</sup> Industrial #SGSECLABIND
- Crystal Simple Green<sup>®</sup> #SGSECLABCRY
- Extreme Simple Green® #SGSECLABEXT
- Simple Green® Supreme #SGSECLABSUP
- Simple Green® Mine Clean #SGSECLABMIN
- Simple Green<sup>®</sup> d Pro #SGSECLABDPRO
- Simple Green<sup>®</sup> Lime Scale **#SGSECLABLIME**
- Simple Green® Clean Building All-Purpose #SGSECLABCBAP
- Simple Green® Clean Building Bathroom #SGSECLABCBBA
- Simple Green<sup>®</sup> Clean Building Glass #SGSECLABCBGL Simple Green<sup>®</sup> Clean Building Carpet #SGSECLABCBCA
- Simple Green® Pro Grade Heavy-Duty #SGSECLABPGHD
- Simple Green® Pro Grade Shower, Tub & Tile #SGSECLABPGSTT
  - Simple Green<sup>®</sup> Pro Grade Glass #SGSECLABPGG Simple Green<sup>®</sup> Pro Grade Carpet #SGSECLABPGC

Quantity: 10 labels per pack



### SIMPLE GREEN<sup>®</sup> HI-FLOW Single Dilution Proportioner

- Ideally suited for filling pressure washers, floor scrubbers, high and low pressure foaming equipment etc.
  - Flow rate of 14 litres per minute
- · Standard metering tips included
- · Inlet connection is compatible with all Australian fittings
- Metering tips are inserted from the outside speeding up installation time
- Solenoid valve type magnet activation



DILUTION

DILUTION



### SIMPLE GREEN<sup>®</sup> 4-WAY Dilution Bottle Fill Proportioner

- Ideally suited for filling trigger-spray bottles
- Flow rate of 4 litres per minute
- Standard metering tips included
- Inlet connection is compatible with all Australian fittings
- Metering tips are inserted from the outside speeding up installation time
- Four different dilution settings: Extra Light, Light, Medium, Heavy-Duty
- Solenoid valve type magnet activation

1 Product
 SG13886



### SIMPLE GREEN<sup>®</sup> 4-WAY Dilution Bucket Fill Proportioner

- Ideally suited for filling buckets, pressure sprayers or foaming guns etc.
- Flow rate of 4 litres per minute
- Standard metering tips included
- Inlet connection is compatible with all Australian fittings
- Metering tips are inserted from the outside speeding up installation time
- Four different dilution settings: Extra Light, Light, Medium, Heavy-Duty
- Solenoid valve type magnet activation



Hose Kit

SGLB970015



### SIMPLE GREEN<sup>®</sup> Drum Pumps & Tap

- Using a drum pump/tap for each chemical in the workplace provides safer, mess free dispensing and controls workplace hazards
- Pumps come with Adaptor Fitting for securing into drums and containers

### 20 Litre Pump:

- Suited to dispensing any small can or drum with a minimum opening of 42mm in diameter
  - Shorter shaft height for easy pumping on a bench

20 Ltr

or table top

208 Litre Pump:

- Vertical location of pump in the drum means no bending when dispensing liquid
- Dispenses 400 ml per stroke


1040 Ltr

1040 Litre Pump:

208 Ltr

Sits at the base of the IBC or tote for emptying the whole container

Seal Kit



SGLB970114



### SIMPLE GREEN<sup>®</sup> 110 Litre Parts Washer

- A heavy-duty, aqueous-based, stand mounted machine with thermoplastic construction
- 40°C, 1000-watt heater with separate switch
- Flexible spigot and nylon flow-through brush & clean out plug for easy draining
- Stainless-steel work shelf
- Includes filter kit and circulating pump (chemical resistant)
- Dimensions: 90cm L x 60cm W x 97.5cm H
- Operational litres: 95
- Ship Weight: 37kg
- 37.5cm depth soak basin (at deepest point)
- 240 volt industrial grade pump





### SIMPLE GREEN<sup>°</sup> 219 Litre Parts Washer

- A heavy-duty, aqueous-based, tank mounted machine with thermoplastic construction
- 40°C, 1000-watt heater with separate switch
- Flexible spigot and nylon flow-through brush
- Stainless-steel work shelf
- Includes filter kit and circulating pump (chemical resistant)
- Dimensions: 101.2cm L x 75cm W x 97.5cm H
- Operational litres: 205
- Ship Weight: 45kg
- 22.5cm depth soak basin (at deepest point)
- 240 volt industrial grade pump





### SIMPLE GREEN<sup>®</sup> 292 Litre Parts Washer

- A heavy-duty, aqueous-based, agitating machine
   of stainless steel construction
- 70cm depth soak basin (at deepest point)
- 113kg load capacity
- Pump: 240 volt industrial grade, 10AMP, Heater: 40°C, 6000-watt, 30AMP
- Platform operates on 8CFM of air @ 120PSI
- Self-cleaning agitating platform lifts parts to top for easy loading and unloading
- Adjustable agitation speed (0-60/minute)
- Air filter regulator with auto drain
- Flow-through brush with polyester filaments
- Stainless steel spring-loaded door closures
- Thermostat is preset to deliver optimal cleaning temperature of 40°C
- Dimensions: 133cm L x 86cm W x 169cm H
- Weight: 260kg



### SIMPLE GREEN<sup>®</sup> 567 Litre Parts Washer

- A heavy-duty, aqueous-based, agitating machine of stainless steel construction
- 340kg load capacity
- 240 volt pump, 6000-watt heater 30AMP
- Self-cleaning agitating platform lifts parts to top for easy loading and unloading
- Platform operates on 25CFM of air @ 120PSI
- Adjustable agitation speed (0-60/minute)
- Filter regulator with auto drain

- Flow-through brush with polyester filament
- Stainless steel spring-loaded door closures
- Thermostat is preset to deliver optimal cleaning temperature of 40°C
- Includes backup thermostat (non-adjustable)
- Dimensions: 163cm L x 114cm W x 169cm H
- Weight: 506kg



### PHONE: 1 300 826 470

Simple Green Australia Pty Ltd • P.O. Box 1253 Golden Grove Village LPO, Golden Grove SA, 5125 • info@simplegreenaustralia.com

Safety Data Sheets are available from www.simplegreen.com.au

Reproduction of this catalogue in part or full is not permitted. Disclaimer: We reserve the right to alter or discontinue any of our products without notice. Whilst every effort has been made to ensure the accuracy of the information contained in this publication, Simple Green Australia Pty Ltd will not accept responsibility should any inaccuracies be contained herein.



